



Indian Journal of Geo Marine Sciences  
Vol. 50 (02), February 2021, pp. 165-167



## Finfish constituents of shrimp trawl low value by-catch off Visakhapatnam, India

K Sujatha\*, V A Iswarya Deepti, V Ravali & S Jha

Department of Marine Living Resources, Andhra University, Visakhapatnam, Andhra Pradesh – 530 003, India

\*[E-mail: sujatha.mlr@gmail.com]

<b>Sr. No</b>	<b>Contents</b>	<b>Page No.</b>
1	Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam	ii

Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam

ORDER	Family	SPECIES	AUTHOR, YEAR	Length range	
TORPEDINIFORMES	TORPEDINIDAE	<i>Torpedo fuscomaculata</i>	Peters, 1855	129-478	
		<i>T. marmorata</i>	Risso, 1810	95-447	
		<i>T. panthera</i>	Olfers, 1831	139-490	
		<i>T. polleni</i>	(Bleeker, 1865)	147- 237	
	NARCINIDAE	Subfamily NARKIDAE	<i>T. sinuspersici</i>	Olfers, 1831	104-480
			<i>Narcineatzi</i>	Carvalho & Randall, 2003	269-474
			<i>N. baliensis</i>	Carvalho & White, 2016	272-316
			<i>N. brunnea*</i>	Annandale, 1909	27-243
			<i>N. indica</i>	Henle, 1834	106-374
			<i>N. lingula</i>	Richardson, 1846	157-456
			<i>N. maculata</i>	(Shaw, 1804)	126-424
			<i>N. prodorsalis</i>	Bessednov, 1966	73-480
			<i>N. timlei*</i>	(Bloch & Schneider, 1801)	162-456
			<i>Heteronarcegarmani</i>	Regan, 1921	85-232
	<i>H. mollis</i>	(Lloyd, 1907)	93-216		
	<i>H. prabhui</i>	Talwar, 1981	134-216		
	<i>Narkedipterygia*</i>	(Bloch & Schneider, 1801)	94-208		
<i>N. impennis*</i>	(Annandale, 1909)	53-206			
PRISTIFORMES	RHINIDAE	<i>Rhinaancylostoma*</i>	Bloch & Schneider, 1801	1500	
MYLIOBATIFORMES	DASYATIDAE	<i>Brevitrygon imbricata</i>	(Bloch & Schneider, 1801)	150-319	
		<i>Neotrygonkuhlii</i>	(Müller & Henle, 1841)	203	
	MYLIOBATIDAE	<i>Aetobatus ocellatus</i>	(Kuhl, 1823)	410	
ANGUILLIFORMES	MURAENIDAE	<i>Echidna nebulosa</i>	(Ahl, 1789)	885	
		<i>Gymnothoraxrupeelliae*</i>	(McClelland, 1844)	162-336	
	CONGRIDAE	<i>Ariosoma anago</i>	(Temminck & Schlegel, 1846)	249	
		<i>Urocongerlepturus</i>	(Richardson, 1845)	243	
CLUPEIFORMES	PRISTIGASTERIDAE	<i>Ilishaobfuscata</i>	Wongratana, 1983	168	
		<i>I. melastoma</i>	(Bloch & Schneider, 1801)	180	
	ENGRAULIDAE	<i>Encrasicholinaheteroloba*</i>	(Rüppell, 1837)	76, 108	
		<i>Stolephorus indicus*</i>	(van Hasselt, 1823)	63-88	
		<i>Thryssasetirostris*</i>	(Broussonet, 1782)	100, 139	
	CLUPEIDAE	<i>Anodontostomachacunda</i>	(Hamilton, 1822)	193	
		<i>Sardinella fimbriata</i>	(Valenciennes, 1847)	145, 168	
<i>S. gibbosa</i>	(Bleeker, 1849)	144-187			
SILURIFORMES	PLOTOSIDAE	<i>Plotosuscanius</i>	Hamilton, 1822	230	
		<i>P. lineatus*</i>	(Thunberg, 1787)	70-277	
	ARIIDAE	<i>Arius jella*</i>	Day, 1877	148-170	
		<i>A. sumatranus</i>	(Anonymous [Bennett], 1830)	226	
		<i>Netumathalassina</i>	(Rüppell, 1837)	185-296	
AULOPIIFORMES	SYNODONTIDAE	<i>Sauridalongimanus*</i>	Norman, 1939	60-141	
		<i>S. tumbil</i>	(Bloch, 1795)	159	
		<i>S. undosquamis*</i>	(Richardson, 1848)	55-177	
		<i>Trachinocephalusmyops*</i>	(Forster, 1801)	92	
GADIFORMES	BREGMACEROTIDAE	<i>Bregmaceros atlanticus</i>	Goode & Bean, 1886	28-73	
		<i>B. maclellandi*</i>	Thompson, 1840	66-102	
HOLOCENTRIFORMES	HOLOCENTRIDAE	<i>Myripristisbotche</i>	Cuvier, 1829	117-272	
		<i>M. hexagona</i>	(Lacepède, 1802)	96-186	
		<i>M. murdjan</i>	(Forsskal, 1775)	112-198	
		<i>Sargocentron rubrum</i>	(Forsskal, 1775)	105-226	
OPHIDIIFORMES	OPHIDIIDAE	<i>Brotula multibarata</i>	Temminck & Schlegel, 1846	153, 185	
BATRACHOIDIFORMES	BATRACHOIDIDAE	<i>Allenbatrachusgrunniens*</i>	(Linnaeus, 1758)	141	
		<i>Perulibatrachusaquilonarius</i>	Greenfield, 2005	211, 248	
KURTIFORMES	APOGONIDAE	<i>Apogon andhrae*</i>	Dutt & Rao, 1980	66, 95	
		<i>Apogonichthyoides nigripinnis*</i>	(Cuvier, 1828)	90, 97	
		<i>A. uninotatus*</i>	(Smith & Radcliffe, 1912)	66	
		<i>A. pseudotaeniatus</i>	(Gon, 1986)	30-105	
		<i>Holapogon maximus*</i>	(Boulenger, 1888)	169	
		<i>Jaydialineata*</i>	(Temminck & Schlegel, 1842)	36-108	
<i>J. poeciloptera*</i>	(Cuvier, 1828)	75-101			

(Contd.)

Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam (*Contd.*)

ORDER	Family	SPECIES	AUTHOR, YEAR	Length range
		<i>Lepidamiamultitaeniata</i>	(Cuvier, 1828)	108, 112
		<i>Ostorhinchus aureus*</i>	(Lacepède, 1802)	37-115
		<i>O. fasciatus</i>	(White, 1790)	33-101
		<i>O. kiensis*</i>	(Jordan & Snyder, 1901)	63-85
		<i>Taeniamialineolata</i>	(Cuvier, 1828)	30-75
GOBIIFORMES	GOBIIDAE	<i>Acentrogobiuscyanomos</i>	(Bleeker, 1849)	132-224
		<i>Trypauchen vagina*</i>	(Bloch & Schneider, 1801)	68-212
	OPISTHOGNATHIDAE	<i>Opisthognathusmuscatensis*</i>	Boulenger, 1888	82-135
CICHLIFORMES	CICHLIDAE	<i>Oreochromis mossambicus*</i>	(Peters, 1852)	
BELONIFORMES	EXOCOETIDAE	<i>Exocoetus volitans</i>	Linnaeus, 1758	201
CARANGIFORMES	RACHYCENTRIDAE	<i>Rachycentron canadum</i>	(Linnaeus, 1766)	
	CARANGIDAE	<i>Alectis indica*</i>	(Rüppell, 1830)	115
		<i>Alepeskleinii</i>	(Bloch, 1793)	217
		<i>Carangoidesmalabaricus*</i>	(Bloch & Schneider, 1801)	143
		<i>C. talamparoides</i>	Bleeker, 1852	63, 115
		<i>Caranxsexfasciatus</i>	Quoy&Gaimard, 1825	140, 143
		<i>C. tille</i>	Cuvier, 1833	174
		<i>Megalaspiscordyla</i>	(Linnaeus, 1758)	169-275
	MENIDAE	<i>Menemaculata</i>	(Bloch & Schneider, 1801)	46-125
ISTIOPHORIFORMES	SPHYRAENIDAE	<i>Sphyraenaforsteri*</i>	Cuvier, 1829	234-252
		<i>S. jello</i>	Cuvier, 1829	220-290
		<i>S. obtusata</i>	Cuvier, 1829	182-248
PLEURONECTIFORMES	PSETTODIDAE	<i>Psettodeserumei</i>	(Bloch & Schneider, 1801)	116-238
	PARALICHTHYIDAE	<i>Pseudorhombusarsius*</i>	(Hamilton, 1822)	116-217
		<i>P. elevatus*</i>	Ogilby, 1912	112-131
		<i>P. malayanus</i>	Bleeker, 1865	161
	BOTHIDAE	<i>Bothusmyriaster*</i>	(Temminck& Schlegel, 1846)	94-113
		<i>Engyprosopongrandisquama*</i>	(Temminck& Schlegel, 1846)	97
		<i>Laeopsguentheri*</i>	Alcock, 1890	90-155
		<i>L. nigromaculatus*</i>	von Bonde, 1922	44-99
	SOLEIDAE	<i>Aesopiacornuta*</i>	Kaup, 1858	108-215
		<i>Heteromycteris oculus*</i>	(Alcock, 1889)	83-198
		<i>Soleaelongata</i>	Day, 1877	80, 119
		<i>Synapturaalbomaculata*</i>	Kaup, 1858	122-157
		<i>S. commersomii*</i>	(Lacepède, 1802)	62-198
		<i>Zebriassynapturoides</i>	(Jenkins, 1910)	100-138
	CYNOGLOSSIDAE	<i>Cynoglossus capensis*</i>	(Kaup, 1858)	73-97
		<i>C. lida</i>	(Bleeker, 1851)	49-267
		<i>C. puncticeps</i>	(Richardson, 1846)	160, 233
		<i>Paraplagusiabilineata</i>	(Bloch, 1787)	200
SYNGNATHIFORMES	CENTRISCIDAE	<i>Centriscusscutatus</i>	Linnaeus, 1758	62
	FISTULARIIDAE	<i>Fistulariapetimba*</i>	Lacepède, 1803	266-420
	DACTYLOPTERIDAE	<i>Dactyloptenagilberti</i>	Snyder, 1909	114-176
		<i>D. orientalis*</i>	(Cuvier, 1829)	64-238
		<i>D. peterseni</i>	(Nyström, 1887)	127, 153
CALLIONYMIFORMES	CALLIONYMIDAE	<i>Callionymuscarebares</i>	Alcock, 1890	80-132
		<i>C. margaretae</i>	Regan, 1905	89-201
		<i>C. schaapii</i>	Bleeker, 1852	80, 132
SCOMBRIFORMES	TRICHIURIDAE	<i>Eupleurogrammusglossodon</i>	(Bleeker, 1860)	524
		<i>Lepturacanthussavala*</i>	(Cuvier, 1829)	532-570
		<i>Trichiuruslepturus*</i>	Linnaeus, 1758	656
	STROMATEIDAE	<i>Pampus argenteus*</i>	(Euphrasen, 1788)	67
		<i>P. chinensis</i>	(Euphrasen, 1788)	64-72
TRACHINIFORMES	PINGUIPEDIDAE	<i>Parapercisalboguttata*</i>	(Günther, 1872)	152
	URANOSCOPIDAE	<i>Ichthyoscopuslebeck*</i>	(Bloch & Schneider, 1801)	354
		<i>Uranoscopusarchionema</i>	Regan, 1921	110-291
		<i>U. bicinctus*</i>	Temminck&Schlegel, 1843	84-296
		<i>U. cognatus*</i>	Cantor, 1849	51-189
		<i>U. guttatus</i>	Cuvier, 1829	157
		<i>U. marmoratus</i>	Cuvier, 1829	65-285

(Contd.)

Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam (*Contd.*)

ORDER	Family	SPECIES	AUTHOR, YEAR	Length range	
LABRIFORMES	LABRIDAE	<i>Halichoeresnigrescens</i>	(Bloch & Schneider, 1801)	112	
		<i>H. scapularis</i>	(Bennett, 1832)	119	
	SCARIDAE	<i>Scarusghobban</i>	Forsskal, 1775	220	
PERCIFORMES	GERREIDAE	<i>Gerresfilamentosus</i>	Cuvier, 1829	195, 234	
		<i>Pentaprionlongimanus*</i>	(Cantor, 1849)	130	
	POLYNEMIDAE	<i>Polydactylusplebeius</i>	(Broussonet, 1782)	114, 118	
		<i>P. sexfilis</i>	(Valenciennes, 1831)	153	
	MULLIDAE	<i>Paraupeneus indicus</i>	(Shaw, 1803)	225	
		<i>Upeneus japonicus</i>	(Houttuyn, 1782)	58-100	
		<i>U. moluccensis*</i>	(Bleeker, 1855)	107-146	
		<i>U. sulphureus*</i>	Cuvier, 1829	98-156	
		<i>U. taeniopterus*</i>	Cuvier, 1829	118-153	
		<i>U. tragula*</i>	Richardson, 1846	122-145	
		<i>U. vittatus*</i>	(Forsskal, 1775)	97-150	
		PEMPHERIDAE	<i>Pempherisadusta</i>	Bleeker, 1877	117-157
	<i>P. molucca</i>		Cuvier, 1829	146	
	KYPHOSIDAE	<i>Kyphosusbigibbus</i>	Lacepède, 1801	115, 150	
	TERAPONTIDAE	<i>Teraponjarbua*</i>	(Forsskal, 1775)	99-195	
		<i>T. theraps*</i>	Cuvier, 1829	120, 146	
		<i>T. puta</i>	Cuvier, 1829	108	
	SERRANIDAE	<i>Cephalopholisformosa*</i>	(Shaw, 1812)	180-290	
		<i>C. sonnerati</i>	(Valenciennes, 1828)	63-187	
		<i>Epinephelus angularis</i>	(Valenciennes, 1828)	77- 242	
		<i>E. areolatus</i>	(Forsskal, 1775)	218-399	
		<i>E. bleekeri</i>	(Vaillant, 1878)	215	
		<i>E. latifasciatus*</i>	(Temminck&Schlegel, 1842)	153	
		<i>E. longispinis</i>	(Kner, 1864)	223-314	
		<i>E. radiatus</i>	(Day, 1868)	122-129	
		<i>E. undulosus*</i>	(Quoy&Gaimard, 1824)	295	
		PRIACANTHIDAE	<i>Heteropriacanthuscruentatus</i>	(Lacepède, 1801)	197
			<i>Priacanthusblochii</i>	Bleeker, 1853	277
	<i>P. hamrur*</i>		(Forsskal, 1775)	63-286	
	<i>P. holocentrum*</i>		Bleeker, 1849	108-187	
	LEIOGNATHIDAE	<i>P. Sagittarius</i>	Starnes, 1988	242-294	
		<i>Aurigequulafasciata</i>	(Lacepède, 1803)	142, 182	
<i>Equulites leuciscus*</i>		(Günther, 1860)	108		
<i>Nuchequulablochii</i>		(Valenciennes, 1835)	65-114		
<i>Leiognathusequulus</i>		(Forsskal, 1775)	113		
CHAETODONTIDAE	<i>Photopectoralisbindus*</i>	(Valenciennes, 1835)	82-109		
	<i>Secutorinsidiator*</i>	(Bloch, 1787)	46-123		
	<i>Chaetodon decussatus</i>	Cuvier, 1829	78-170		
POMACANTHIDAE	<i>Hentiochusacuminatus</i>	(Linnaeus, 1758)	148		
	<i>Roaexcelsa</i>	(Jordan, 1921)	74, 90		
	<i>Apolemichthysxanthurus</i>	(Bennett, 1833)	169		
	<i>Pomacanthusannularis*</i>	(Bloch, 1787)	149		
HAEMULIDAE	<i>Diagrammapictum</i>	(Thunberg, 1792)	132-216		
	<i>Plectorhinchusalbovittatus*</i>	(Rüppell, 1838)	63-117		
	<i>P. gibbosus</i>	(Lacepède, 1802)	121		
LUTJANIDAE	<i>Pomadasyfurfatus</i>	(Bloch &Schneider, 1801)	135, 143		
	<i>P. maculatus*</i>	(Bloch, 1793)	88-138		
	<i>Lutjanus fulvus</i>	(Forster, 1801)	100-199		
	<i>L. johnii</i>	(Bloch, 1792)	170		
	<i>L. lutjanus</i>	Bloch, 1790	132		
SCATOPHAGIDAE	<i>L. rivulatus</i>	(Cuvier, 1828)	73		
	<i>Scatophagus argus</i>	(Linnaeus, 1766)	104-182		
SIGANIDAE	<i>Siganuscanaliculatus</i>	(Park, 1797)	92-236		
	<i>S. javus</i>	(Linnaeus, 1766)	59-336		
	<i>S. sutor</i>	(Valenciennes, 1835)	235, 244		
SCORPAENIFORMES	SCORPAENIDAE	<i>Brachypteroiserrulata*</i>	(Richardson, 1846)	31-128	
		<i>Ebosia falcata</i>	Eschmeyer & Rama-Rao, 1978	114	
		<i>Neomerintheamplisquamiceps*</i>	(Fowler, 1938)	53-99	
		<i>N. erostris</i>	(Alcock, 1896)	89-101	
		<i>Parascorpaenapicta</i>	(Cuvier, 1829)	98-168	
		<i>Pterois miles</i>	(Bennett, 1828)	105, 245	

*(Contd.)*

Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam (*Contd.*)

ORDER	Family	SPECIES	AUTHOR, YEAR	Length range
		<i>P. mombasae</i> *	(Smith, 1957)	79-208
		<i>P. russelii</i> *	Bennett, 1831	72-241
		<i>P. volitans</i>	(Linnaeus, 1758)	194
		<i>Scorpaenopsiscirroa</i> *	(Thunberg, 1793)	63-175
		<i>S. oxycephala</i>	(Bleeker, 1849)	92, 129
		<i>S. rosea</i>	(Day, 1868)	94-171
	APISTIDAE	<i>Apistuscarinatus</i> *	(Bloch & Schneider, 1801)	79-146
	TETRAROGIDAE	<i>Paracentropogonlongispinis</i>	(Cuvier, 1829)	144
		<i>Snyderinaguentheri</i>	(Boulenger, 1889)	59-96
	SYNANCEIIDAE	<i>Choridactylusmultibarbus</i> *	Richardson, 1848	69-123
		<i>Minouscoccineus</i> *	Alcock, 1890	45-119
		<i>M. dempsterae</i>	Eschmeyer, Hallacher& Rama-Rao, 1979	103
		<i>M. inermis</i> *	Alcock, 1889	21-107
		<i>M. monodactylus</i> *	(Bloch & Schneider, 1801)	64-128
		<i>M. pictus</i>	Günther, 1880	44-105
	APLOACTINIDAE	<i>Cocotropus roseus</i>	Day, 1875	46
	TRIGLIDAE	<i>Lepidotriglabentuviai</i>	Richards & Saksena, 1977	61-100
		<i>Pterygotriglahemisticta</i>	(Temminck& Schlegel, 1843)	77-121
	PLATYCEPHALIDAE	<i>Grammolitesscaber</i> *	(Linnaeus, 1758)	183-244
		<i>Kumocociusrodericensis</i> *	(Cuvier, 1829)	107-205
		<i>Platycephalus indicus</i> *	(Linnaeus, 1758)	151-328
		<i>Rogadius asper</i> *	(Cuvier, 1829)	106-203
		<i>R. serratus</i> *	(Cuvier, 1829)	140-184
		<i>Sorsogonatuberculata</i> *	(Cuvier, 1829)	106-181
		<i>Suggrundusmacracanthus</i> *	(Bleeker, 1869)	168-188
MORONIFORMES	DREPANEIDAE	<i>Drepane punctata</i> *	(Linnaeus, 1758)	171
ACANTHURIFORMES	SCIAENIDAE	<i>Argyrosomusheinii</i>	(Steindachner, 1902)	152-162
		<i>A. regius</i>	(Asso, 1801)	155-192
		<i>Johniuscarutta</i> *	Bloch, 1793	41-187
		<i>J. dussumieri</i> *	(Cuvier, 1830)	146-198
		<i>J. elongatus</i> *	Lal Mohan, 1976	140
		<i>Kathalaaxillaris</i> *	(Cuvier, 1830)	77-220
		<i>Nibeamaculata</i> *	(Bloch & Schneider, 1801)	89-176
		<i>Otolithesruber</i> *	(Bloch & Schneider, 1801)	163-253
		<i>Paranibeasemiluctuosa</i>	(Cuvier, 1830)	241
		<i>Protonibeadiacanthus</i>	(Lacepède, 1802)	180
	ZANCLIDAE	<i>Zancluscornutus</i> *	(Linnaeus, 1758)	110
	ACANTHURIDAE	<i>Acanthurusbariense</i>	Lesson, 1831	228-375
		<i>A. bleekeri</i>	Gunther, 1861	73-286
		<i>A. dussumieri</i>	Valenciennes, 1835	262
		<i>A. lineatus</i>	(Linnaeus, 1758)	240, 242
		<i>A. mata</i>	(Cuvier, 1829)	110-290
		<i>A. nigricauda</i>	Duncker & Mohr, 1929	215, 263
		<i>A. xanthopterus</i>	Valenciennes, 1835	211-400
		<i>Nasobrevirostris</i>	(Cuvier, 1829)	658
		<i>N. hexacanthus</i>	(Bleeker, 1855)	77-520
SPARIFORMES		<i>N. vlamingii</i>	(Valenciennes, 1835)	580
	SILLAGINIDAE	<i>Sillago indica</i> *	McKay, Dutt& Sujatha, 1985	144-167
		<i>S. lutea</i> *	McKay, 1985	120-145
	NEMIPTERIDAE	<i>Nemipterusbipunctatus</i>	(Valenciennes, 1830)	85-207
		<i>N. japonicus</i> *	(Bloch, 1791)	55-186
		<i>N. peronii</i>	(Valenciennes, 1830)	122-141
		<i>N. randalli</i> *	Russell, 1986	132-251
		<i>N. zysron</i>	(Bleeker, 1856)	70-211
		<i>Parascalopsisaspinosa</i> *	(Rao & Rao, 1981)	107-119
		<i>P. capitinis</i>	Russell, 1996	90
		<i>P. eriomma</i>	(Jordan & Richardson, 1909)	105
		<i>Scolopsisvosmeri</i>	(Bloch, 1792)	75-176
	SPARIDAE	<i>Argyrops spinifer</i>	(Forsskål, 1775)	151-200
LOPHIFORMES	LOPHIIDAE	<i>Lophiomussetigerus</i>	(Vahl, 1797)	53-211
	ANTENNARIIDAE	<i>Antennarius hispidus</i> *	(Bloch & Schneider, 1801)	47-168
		<i>A. nummifer</i> *	(Cuvier, 1817)	48-71
	OGCOCEPHALIDAE	<i>Halieutaea indica</i>	Annandale & Jenkins, 1910	28-162
		<i>H. stellata</i>	(Vahl, 1797)	106-193

*(Contd.)*

Table S1 — List of finfish species collected from the shrimp trawl by-catches off Visakhapatnam (*Contd.*)

ORDER	Family	SPECIES	AUTHOR, YEAR	Length range
TETRAODONTIFORMES	TRIACANTHIDAE	<i>Pseudotriacanthusstrigilifer</i> *	(Cantor, 1849)	133-205
		<i>Triacanthusbiaculeatus</i> *	(Bloch, 1786)	104
		<i>T. brevirostris</i>	Temminck & Schlegel, 1850	149-204
	BALISTIDAE	<i>Triphichthysweberi</i>	(Chaudhuri, 1910)	38-145
		<i>Abalistes stellaris</i> *	(Bloch & Schneider, 1801)	43-353
		<i>Balistes vetula</i>	Linnaeus, 1758	50-77
		<i>Balistoidesviridescens</i>	(Bloch & Schneider, 1801)	220-420
		<i>Canthidermismaculata</i>	(Bloch, 1786)	210-375
		<i>Odonusniger</i>	(Rüppell, 1836)	180, 184
		<i>Sufflamenfraenatum</i> *	(Latreille, 1804)	98-240
		<i>S. verres</i>	(Gilbert & Starks, 1904)	119-288
	MONACANTHIDAE	<i>Aluterus monoceros</i>	(Linnaeus, 1758)	48-430
		<i>Cantherhinesfronticinctus</i>	(Günther, 1867)	66
		<i>Lalmohaniavelutina</i>	Hutchins, 1994	120-140
		<i>Paramonacanthuschoirocephalus</i> *	(Bleeker, 1851)	93-115
		<i>P. japonicus</i>	(Tilesius, 1809)	88-102
	OSTRACIIDAE	<i>Lactoriacornuta</i>	(Linnaeus, 1758)	76-115
		<i>L. fornasini</i> *	(Bianconi, 1846)	108-124
		<i>Tetrosomus gibbosus</i> *	(Linnaeus, 1758)	115-242
	TETRAODONTIDAE	<i>Arothronimmaculatus</i> *	(Bloch & Schneider, 1801)	100-212
		<i>A. stellatus</i> *	(Anonymous, 1798)	104-183
		<i>Canthigastermargaritata</i>	(Rüppell, 1829)	49-182
		<i>Chelonodonpatoca</i> *	(Hamilton, 1822)	55-179
		<i>Lagocephalusguentheri</i> *	Miranda Ribeiro, 1915	27-275
		<i>L. inermis</i> *	(Temminck & Schlegel, 1850)	109-248
		<i>L. lunaris</i> *	(Bloch & Schneider, 1801)	104-220
		<i>L. sceleratus</i>	(Gmelin, 1789)	96-110
		<i>Takifugu oblongus</i>	(Bloch, 1786)	161, 170
		<i>Torquigenerhypsologeneion</i>	(Bleeker, 1852)	154
		DIODONTIDAE	<i>Cyclichthys orbicularis</i>	(Bloch, 1785)
	<i>C. spilostylus</i>		(Leis & Randall, 1982)	128-235
	<i>Diodonholocanthus</i>		Linnaeus, 1758	126-263
	<i>D. hystrix</i> *		Linnaeus, 1758	215-540

\*indicates species common in Sujatha (1995) and present study