

Supplementary Electronic Information

Synthesis and antimicrobial importance of oxazine bearing pyridine scaffold

N C Desai*, N B Bhatt & Surbhi B Joshi

Division of Medicinal Chemistry, Department of Chemistry
(DST-FIST Sponsored & UGC NON-SAP),
Mahatma Gandhi Campus, Maharaja Krishnakumarsinhji Bhavnagar University,
Bhavnagar 364 002, India
dnisheeth@rediffmail.com

Captions:

IR spectra of Compound 4k

¹H NMR of Compound 4a

¹H NMR of Compound 4e

¹H NMR of Compound 4h

¹H NMR of Compound 4k

¹H NMR of Compound 4o

¹³C NMR of Compound 4e


¹³C NMR of Compound 4h

¹³C NMR of Compound 4k


LC-MS of Compound 4e

LC-MS of Compound 4h


IR spectra of Compound 4k:




¹H NMR of Compound 4a:




¹H NMR of Compound 4e:




¹H NMR of Compound 4h:




¹H NMR of Compound 4k:




^1H NMR of Compound 4o:




^{13}C NMR of Compound 4e:




^{13}C NMR of Compound 4h:



^{13}C NMR of Compound 4k:



LC-MS of Compound 4e:



LC-MS of Compound 4h:

